



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Appln Of: OGAWA et al.
Serial No.: 10/069,207
Filed: February 21, 2002
For: SEWAGE TREATMENT APPARATUS
Group: 1724
Examiner: Theisen, Douglas J. DOCKET: SHIG C10601EC

MAIL STOP ISSUE FEE
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

SUBMISSION OF CORRECTED FORMAL DRAWINGS

Dear Sir:

In response to the Notice of Allowability mailed October 29, 2003, submitted herewith are four (4) sheets of formal drawings with respect to the above-identified patent application.

In the event there are any fee deficiencies or additional fees are payable, please charge them (or credit any overpayment) to our Deposit Account No. 08-1391.

Respectfully submitted,

Norman P. Soloway
Attorney for Applicant
Reg. No. 24,315

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service as First Class Mail in an envelope addressed to: MAIL STOP ISSUE FEE, Commissioner of Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on

January 7, 2004 at Tucson, Arizona.

By:

HAYES SOLOWAY P.C.
130 W. CUSHING ST.
TUCSON, AZ 85701
TEL. 520.882.7623
FAX. 520.882.7643

175 CANAL STREET
MANCHESTER, NH 03101
TEL. 603.668.1400
FAX. 603.668.8567